



Opportunities for Post-Partum Family Planning






Current Postpartum Contraceptive Use


Large variation in PFP use across countries

Using FP within 6 Months Postpartum






Generally low levels of immediate PFP Use

Modern PFP use among women who delivered in facilities at 1 month postpartum
(Immediate PFP)



Assessing Opportunities for PFFP Programming in Malawi

See your country brief for more details!




Assessing Opportunities for Growth in Prevalence from PFP

In DR Congo, around 6% of women are using FP at 6 months post-partum (based on 2013 DHS)

Women of Reproductive Age

Increase in mCPR can only happen among women who have given birth, but, are *not* already using PFP— what is this as a % of all WRA?




DR Congo	# of WRA	% of WRA
WRA in 2018	18.7 m	
WRA giving birth in 2018	3.5 m	19%
Post-Partum women already using FP (at 6 months)	200 k	1%
Post-Partum women NOT using FP (at 6 months)	3.3 m	17%


*Maximum possible increase in mCPR from PFP programming**

Assessing Opportunities for Growth in Prevalence from PFP

Post-partum women as a percent of all WRA segmented by PFP use




Trends in PFP: When are the Opportunities?



How large are these opportunities?

Most potential impact to integrate PFP if women are already coming for the service


- Antenatal Care
- Facility Delivery
- Immunization



What are current levels of use of these services?


Antenatal Care

Percent of women who receive ANC from a skilled provider




Facility delivery

Percent of women who delivered at a facility



Immunization

Percent of children receiving the DPT3 vaccination in the first year of life



Thank You!

For more of our data and analysis on
PPFP visit our website:
<http://www.track20.org>